## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

## **Listing of Claims:**

1. (Currently Amended) A method of removing a selected metalion from a solution, comprising the steps of:

providing a container for holding a liquid, said container comprising an internal surface having a metal-ion sequestering agent immobilized in at least a portion of said internal surface for removing a designated metal-ion from said liquid, wherein said metal-ion sequestering agent comprises derivatized nanoparticles comprising inorganic nanoparticles having an attached metal-ion sequestrant, wherein said inorganic nanoparticles have an average particle size of less than 200 nm and the derivatized nanoparticles have a stability constant greater than 10<sup>10</sup> with iron (III), and wherein said metal-ion sequestering agent is immobilized in a polymeric layer, the polymeric layer contacts said liquid, and the polymeric layer is permeable to water;

filling said container with said liquid in an open environment;
closing said container with said liquid contained therein;
said metal-ion sequestering agent removing said designated metal-ion
from said liquid; and

shipping said container for use of said liquid without any further processing of said container containing said liquid.

## 2. (Canceled)

- 3. (Previously Presented) A method according to claim 1 wherein said container comprises a bottle and cap assembly.
- 4. (Original) A method according to claim 3 wherein said bottle is made of a plastic material.

- 5. (Previously Presented) A method according to claim 3 wherein said metal-ion sequestering agent is provided on the entire internal surface of said bottle.
- 6. (*Original*) A method according to claim 3 wherein said bottle is made of a material that includes said metal-ion sequestering agent.
- 7. (Previously Presented) A method according to claim 3 wherein said metal-ion sequestering agent is provided on the internal surface of said cap.
- 8. (Original) A method according to claim 1 wherein said liquid has a pH equal to or greater than about 3.
- 9. (Original) A method according to claim 1 wherein said liquid has a pH equal to or greater than about 4.
- 10. (Previously Presented) A method according to claim 1 wherein said metal-ion sequestering agent has a stability constant greater than  $10^{10}$  with iron (III).
- 11. (Previously Presented) A method according to claim 1 wherein said sequestering agent has a high-affinity for biologically important metalions Mn, Zn, Cu and Fe.
- 12. (Previously Presented) A method according to claim 1 wherein said sequestering agent has a high-selectivity for biologically important metal-ions Mn, Zn, Cu and Fe.
- 13. (Previously Presented) A method according to claim 1 wherein said sequestering agent has a high-selectively for certain metal-ions but a low-affinity for at least one other ion.

- 14. *(Previously Presented)* A method according to claim 13 wherein said certain metal-ions comprises Mn, Zn, Cu and Fe and said other at least one ion comprises calcium.
- 15. (Previously Presented) A method according to claim 1 wherein said metal-ion sequestering agent has a stability constant greater than  $10^{20}$  with iron (III).
- 16. (Previously Presented) A method according to claim 1 wherein said metal-ion sequestering agent has a stability constant greater than  $10^{30}$  with iron (III).

## 17. - 37. (Canceled)

38. (Previously Presented) A method according to claim 1, wherein said container further comprises a barrier layer between the metal-ion sequestering agent and the liquid for permitting water to pass therethrough and for blocking microorganisms from passing therethrough.

39. - 40. (Canceled)